

Material Safety Data Sheet

Emergency and Information Telephone: (562) 946-3222

Section I: Product Identification

Product Name: Latexco West Synthetic and / or Natural Foams

Revision Date: 4-1-15

Section II: Hazardous Components

Not applicable

Section III: Physical Data

Form: Cellular latex foam.

Density Ranges: 2 lbs/:P to 15 lbs/f3

Section IV: Fire and Explosion Data

Flammability Classification:

HMIS RATING=1, Flash Point Greater Than 400° F.

NFPA RATING= I

Extinguishing Media:

Water stream, spray, or fog. Dry chemicals or foam.

Fire Hazards:

If ignited, this product will burn and consume oxygen. This product may produce irritating and toxic byproducts during combustion. Self-contained breathing apparatus must be donned when fighting a latex foam fire.

Section V: Health Hazard Information

The primary health concern of latex foam is the inhalation of fumes that may be generated during combustion.

Sleep Comp Natural and/or Synthetic Foam may contain natural rubbers, synthetic rubbers, and rubber curatives that have been known to cause allergic reactions in some individuals.

Section VI: Reactivity Data

Stability: Stable

Hazardous Polymerization: Will not occur. Conditions to Avoid:

Avoid extreme heat sources such as open flames, sparks, welding torches, cigarettes etc.

Section VII: Environmental Protection Procedures

Waste disposal Method:

Waste latex foam is not a hazardous waste as defined by the Resource Conservation and Recovery Act.

Latex foam is suitable for disposal via municipal landfill or incineration in most states and municipalities.

Consult local regulations before disposing of latex foam.

Section VIII: Special Protection Information

Respiratory Protection: None required

Ventilation: None required

Protective Gloves: None required

Eye Protection: None required

Section IX: Special Precautions

If latex foam is warehoused or otherwise stored, proper sprinkler coverage should be maintained. Consult your local Fire Marshall or insurance carrier regarding proper sprinkler coverage for the storage of latex foam.

Latexco West urges its customers or recipients of this MSDS to study it carefully and understand the hazards associated with our products. Customers and recipients of this MSDS should understand that the information contained in this MSDS is limited. Experts in the fields of toxicology, fire science, and ventilation should be consulted to utilize the information contained in this document and to provide additional information as necessary.

Latexco West
dba Sleep Comp West

10006 Santa Fe Springs Road
Santa Fe Springs CA 90670
Phone (562) 946-3222 / Fax (562) 946-3230

April 1, 2015

Dear Sir or Madam:

To answer your questions regarding the content and processing of our **100% Natural Latex**. The main ingredients used in the manufacturing are as follows . . .

- | | |
|-------------------------|----------|
| 1. Natural Latex Rubber | - 90-95% |
| 2. Zinc Oxide | - 2-3% |
| 4. Fatty Acid Soaps | - 1-2% |
| 5. Sulfur | - 1-2% |
| 6. Sodium | - 1-2% |

Item 1 is pure, natural rubber harvested exclusively from the “Hevea Brasiliensis” tree, which grows primarily in South-East Asia.

Item 2 thru 5 are essential to the vulcanization, foaming and curing process that all latex cores must go through. The finished core is then washed to remove any residuals that may be left over after curing. The finished product is then 98 + % pure natural latex rubber.

I hope this answers most of your questions. Please feel free to call me at any time.

Sincerely,



J.R. Hernandez
Sales Manager

Naturalux



Natural latex is tapped from the Hevea Brasiliensis rubber tree on carefully selected plantations near the equator. Latexco uses the highest quality natural latex in the industry for all Naturalux cores & toppers. Elasticity and resiliency are dominant characteristics of natural rubber bedding components. Naturalux components offer outstanding durability and guarantee the ultimate comfort in any sleeping position. This is the “greenest” component available to the industry and the most “eco friendly” product on the market.

ADVANTAGES OF NATURALUX

Super Soft Touch

Perfect Body Support

Unequalled Natural Elasticity

High Natural Content

Very Equal Foam Structure

